Journal of Radioanalytical and Nuclear Chemistry, Articles, Vol. 163, No. 2 (1992) 401-403

Index to Volume 163

No. 1

Editorial 3

S. Čechová, F. Macášek (Bratislava, Czecho-Slovakia)
Preface 9

T. Sekine (Tokyo, Japan)
Solvent extraction of ionic solutes in aqueous solutions 11

D. Schrötterová, P. Nekovář, M. Mrnka, M. Bouša (Prague, Czecho-Slovakia)
Application of amine extraction to the production of pure zirconium salts 29

A. Kotyk (Prague, Czecho-Slovakia)
Biomembranes as catalysts of mass, energy and information transfer 37

J. Strnad, K. Heckmann (Regensburg, Germany)
Separation of actinides with alkylpyridinium salts 47

J. Narbutt (Warszawa, Poland)
Acetylacetone and monothioacetylacetone as model extractants of metal ions. The influence of chelate hydration on partition equilibria 59

S. Palágyi, T. Braun (Kosice, Czecho-Slovakia and Budapest, Hungary)
Unloaded polyether type polyurethane foams as solid extractants for trace elements 69

P. Vaňura, V. Jedináková, I. Juklíková (Prague, Czecho-Slovakia)
Extraction of some lanthanides by nitrobenzene solutions of dicarbolide in the presence of 18-crown-6 81

M. Hutta, D. Kaniansky, E. Šimuničová, V. Zelenská, V. Madajová, A. Šišková (Bratislava, Czecho-Slovakia)
Solid phase extraction for sample preparation in trace analysis of ionogenic compounds by capillary isotachophoresis 87

M. Hromadová, R. Čech, P. Rajec (Bratislava, Czecho-Slovakia)
A study of changes in the yields of radiolytic products in two-phase systems with tributyl phosphate 99

M. K. Sahoo, J. Kuruc, A. Švec, R. Čech, M. Hutta (Bratislava, Czecho-Slovakia)
HPLC profiling of radiolytic products of nitrobenzene – carbon tetrachloride – water two-phase systems 107

N. El Said, F. Macášek (Cairo, Egypt and Bratislava, Czecho-Slovakia)
Emulsion liquid membrane extraction of fission products promoted by polyvalent and organic acids 113

Elsevier Sequoia S. A., Lausanne
Akadémiai Kiadó, Budapest

F. Macášek (Bratislava, Czecho-Slovakia)
What are the expectations of liquid membranes in ion separations? 123

R. Kopunec, Th. Ngo Manh (Bratislava, Czecho-Slovakia)
Carrier-mediated transport of rare earth elements through liquid membranes, IV. 131

Th. Ngo Manh, R. Kopunec (Bratislava, Czecho-Slovakia)
Carrier-mediated transport of rare earth elements through liquid membranes, V. 145

J. C. Reijenga (Eindhoven, The Netherlands)
Capillary electrophoresis. An overview 155

G. Menestrina (Trento, Italy)
Ion transport and selectivity in model lipid membranes carrying incorporated cytolytic protein toxins 169

I. Miesiąc, K. Schugerl, J. Szymanowski (Poznan, Poland and Hannover, Germany)
Emulsion stability and potassium leakage in emulsion liquid membrane systems 181

Announcement 193

No. 2

J. J. Fardy, G. D. McOrist, Y. J. Farrar (Menai, Australia)
The determination of manganese status in the Australian diet using neutron activation analysis 195

N. Filipović-Vincekovič, D. Škrtič (Zagreb, Croatia)
Cesium sorption under nonequilibrium conditions 205

N. R. Das, Susanta, Lahiri (Calcutta, India)
Reversed phase chromatographic separation of zirconium, niobium and hafnium tracers with HDEHP 213

G. Rosner, H. Hötzl, R. Winkler (Neuherberg, Germany)
Determination of ^{241}Pu by low level β-proportional counting. Application to Chernobyl fallout samples and comparison with the ^{241}Am build-up method 225

T. Sato, T. Hirabayashi, Ch. Sagawa, N. Kohno, K. Gunji, T. Adachi (Tokai, Ibaraki, Japan)
Sorption behavior and inventory of alpha-emitters on the surfaces of spent nuclear fuel cladding 235

I. S. Shaban, M. F. Owreit, S. I. Nikitenko (Tripoly, Libya and Moscow, Russia)
Kinetics and mechanism of photoaccelerated isotope exchange between U(VI) and U(IV) in oxalate solutions 245

P. P. Chappuis, S. Truffer, E. Ianoz, P. Lerch (Lausanne, Switzerland)
Labeling of polyaminomacrocyclic ligands by $^{99m}TcO_4^-$. Reduction and exchange reactions 255

F. M. Ezz El-Din, N. A. El-Alaily, H. A. El-Batal (Cairo, Egypt)
Density and refractive index of some γ-irradiated alkali silicate glasses 267

A. G. Gaikwad, A. D. Damodaran (Trivandrum, India)
Synergic liquid-liquid extraction studies of neodymium and praseodymium with mixtures of tributyl phosphate and Aliquat-336 in nitrate media 277

N. Paunescu, D. Galeriu, R. Margineanu, A. Iorgulescu (Bucharest, Romania)
Environmental radioactivity in Romania Danube river area during 1986–1990 289

S. P. Stanescu, S. Spiridon (Bucharest, Romania)
An improved method for analysis of In-EDTA, I^- and Br^- used as activable tracers in hydrological studies 301

N. Lavi, E. Neeman, Y. Nir-El (Yavne and Tel Aviv, Israel)
Neutron activation analysis for environmental trace element research 307

N. Lavi, E. Ganor, E. Neeman, S. Brenner (Yavne and Tel Aviv, Israel)
Determination of elemental composition of settling particles in Israel following Saharan dust storms by neutron activation analysis 313

J. O. Dziegielewski, R. Gil-Bortnowska, J. Mrzigod (Katowice, Poland)
Fixation and reduction of molecular nitrogen by $[WH_4(PC_2H_5Ph_2)_4]$ and $[WH_4(PCH_3Ph_2)_4]$ in a γ-radiation field 325

P. B. Santhi, M. L. P. Reddy, T. R. Ramamohan, A. D. Damodaran (Trivandrum, India)
Synergistic solvent extraction of lutetium(III). Computer aided analysis 335

A. N. Shaikh, R. N. Khandekar, S. J. S. Anand, U. C. Mishra (Bombay, India)
Determination of some toxic trace elements in Indian tobacco and its smoke 349

M. A. Tariq, I. L. Preiss (Troy, New York, USA)
Determination of selenium in animal tissue samples using radioisotope induced X-ray fluorescence 355

A. M. El-Kot (Zagazig, Egypt)
Solvent extraction of heptavalent technetium 363

Wen-Chung Liu, Jiunn-Guang Lo, Chao-Ming Tsai (Hsinchu and Taipei, ROC)
On-line method for measurement of the dispersion coefficient of radionuclide migration using a column method 373

H. Singh, H. S. Binarh, G. P. S. Sahota, H. S. Sahota (Patiala, India)
Perturbed angular correlation study using ^{147}Nd as a probe 385

G. R. Dey, D. B. Naik, K. Kishore, P. N. Moorthy (Bombay, India)
Reactions of e^-_{aq}, H and OH with picolinic acid studied by pulse radiolysis 391

Index to Volume 163 401

Journal of Radioanalytical and Nuclear Chemistry, Articles, Vol. 163, No. 2 (1992) 405-408

Author Index to Volume 163

ADACHI, T., *see* SATO, T., 235

ANAND, S. J. S., *see* SHAIKH, A. N., 349

BINARH, H. S., *see* SINGH, H., 385

BOUŠA, M., *see* SCHRÖTTEROVÁ, D., 29

BRAUN, T.: Editorial. The citation impact of the Journal of Radioanalytical and Nuclear Chemistry, 3

BRAUN, T., *see* PALÁGYI, S., 69

BRENNER, S., *see* LAVI, N., 313

CHAPPUIS, P. P., TRUFFER, S., IANOZ, E., LERCH, P.: Labeling of polyaminomacrocyclic ligands by $^{99m}TcO_4^-$. Reduction and exchange reactions, 255

ČECH, R., *see* HROMADOVÁ, M., 99

ČECH, R., *see* SAHOO, M. K., 107

ČECHOVÁ, S., MACÁŠEK, F.: Preface, 9

DAMODARAN, A. D., *see* GAIKWAD, A. G., 277

DAMODARAN, A. D., *see* SANTHI, B. P., 335

DAS, N. R., LAHIRI SUSANTA: Reversed phase chromatographic separation of zirconium, niobium and hafnium tracers with HDEHP, 213

DEY, G. R., NAIK, D. B., KISHORE, K., MOORTHY, P. N.: Reactions of e_{aq}^-, H and OH with picolinic acid, studied by pulse radiolysis, 391

DZIEGIELEWSKI, J. O., GIL-BORTNOWSKA, R., MRZIGOD, J.: Fixation and reduction of molecular nitrogen by $[WH_4(PC_2H_5Ph_2)_4]$ and $[WH_4(PCH_3Ph_2)_4]$ in a γ-radiation field, 325

EL-ALAILY, N. A., *see* EZZ EL-DIN, F. M., 267

EL-BATAL, H. A., *see* EZZ EL-DIN, F. M., 267

EL-DIN, EZZ, F. M., *see* EZZ EL-DIN, F. M., 267

EL-KOT, A. M.: Solvent extraction of heptavalent technetium, 363

EL SIAD, N., MACÁŠEK, F.: Emulsion liquid membrane extraction of fission products promoted by polyvalent and organic acids, 113

EZZ EL-DIN, F. M., EL-ALAILY, N. A., EL-BATAL, H. A.: Density and refractive index of some γ-irradiated alkali silicate glasses, 267

FARDY, J. J., McORIST, G. D., FARRAR, Y. J.: The determination of manganese status in the Australian diet using neutron activation analysis, 195

FARRAR, Y. J., *see* FARDY, J. J., 195

FILIPOVIĆ-VINCEKOVIĆ, N., ŠKRTIĆ, D.: Cesium sorption under nonequilibrium conditions, 205

GAIKWAD, A. G., DAMODARAN, A. D.: Synergic liquid–liquid extraction studies of neodymium

Elsevier Sequoia S. A., Lausanne
Akadémiai Kiadó, Budapest

and praseodymium with mixtures of tributyl phosphate and Aliquat-336 in nitrate media, 277

GALERIU, D., *see* PAUNESCU, N., 289

GANOR, E., *see* LAVI, N., 313

GIL-BORTNOWSKA, R., *see* DZIEGIELEWSKI, J. O., 325

GUNJI, K., *see* SATO, T., 235

HECKMANN, K., *see* STRNAD, J., 47

HIRABAYASHI, T., *see* SATO, T., 235

HÖTZL, H., *see* ROSNER, G., 225

HROMADOVÁ, M., ČECH, R., RAJEC, P.: A study of changes in the yields of radiolytic products in two-phase systems with tributyl phosphate, 99

HUTTA, M., KANIANSKY, D., ŠIMUNIČOVÁ, E., ZELENSKÁ, V., MADAJOVÁ, V., ŠIŠKOVÁ, A.: Solid phase extraction for sample preparation in trace analysis of ionogenic compounds by capillary isotachophoresis, 87

HUTTA, M., *see* SAHOO, M. K., 107

IANOZ, E., *see* CHAPPUIS, P. P., 255

IORGULESCU, A., *see* PAUNESCU, N., 289

JEDINÁKOVÁ, V., *see* VAŇURA, P., 81

JUKLÍKOVÁ, I., *see* VAŇURA, P., 81

KANIANSKY, D., *see* HUTTA, M., 87

KHANDEKAR, R. N., *see* SHAIKH, A. N., 349

KISHORE, K., *see* DEY, G. R., 391

KOHNO, N., *see* SATO, T., 235

KOPUNEC, R., NGO MANH, Th.; Carrier-mediated transport of rare earth elements through liquid membranes, IV., 131

KOPUNEC, R., *see* NGO MANH, Th., 145

KOTYK, A.: Biomembranes as catalysts of mass, energy and information transfer, 37

KURUC, J., *see* SAHOO, M. K., 107

LAHIRI, SUSANTA, *see* DAS, N. R., 213

LAVI, N., GANOR, E., NEEMAN, E., BRENNER, S.: Determination of elemental composition of settling particles in Israel following Saharan dust storms by neutron activation analysis, 313

LAVI, N., NEEMAN, E., NIR-EL, Y.: Neutron activation analysis for environmental trace element research, 307

LERCH, P., *see* CHAPPUIS, P. P., 255

LIU, WEN-CHUNG; LO, JIUNN-GUANG; TSAI, CHAO-MING: On-line method for measurement of the dispersion coefficient of radionuclide migration using a column method, 373

LO, JIUNN-GUANG, *see* LIU, WEN-CHUNG, 373

MACÁŠEK, F.: What are the expectations of liquid membranes in ion separations?, 123

MACÁŠEK, F., *see* ČECHOVÁ, S., 9

MACÁŠEK F., *see* EL-SAID, N., 113

MADAJOVÁ, V., *see* HUTTA, M., 87

MANH, NGO, Th., *see* NGO MANH, Th., 131, 145

MARGINEANU, R., *see* PAUNESCU, N., 289

McORIST, G. D., *see* FARDY, J. J., 195

MENESTRINA, G.: Ion transport and selectivity in model lipid membranes carrying incorporated cytolytic protein toxins, 169

MIESIAC, I., SCHUGERL, K., SZYMANOWSKI, J.: Emulsion stability and potassium leakage in emulsion liquid membrane systems, 181

MISHRA, U. C., *see* SHAIKH, A. N., 349

MOORTHY, P. N., *see* DEY, G. R., 391

MRNKA, M., *see* SCHRÖTTEROVÁ, D., 29

MRZIGOD, J., *see* DZIEGIELEWSKI, J. O., 325

NAIK, D. B., *see* DEY, G. R., 391

NARBUTT, J.: Acetylacetone and monothio-acetylacetone as model extractants of metal ions. The influence of chelate hydration on partition equilibria, 59

NEEMAN, E., *see* LAVI, N., 307, 313

NEKOVÁŘ, P., *see* SCHRÖTTEROVÁ, D., 29

NGO MANH, Th, KOPUNEC, R.: Carrier-mediated transport of rare earth elements through liquid membranes, V., 145

NGO MANH, Th., *see* KOPUNEC, R., 131

NIKITENKO, S. I., *see* SHABAN, I. S., 245

NIR-EL, Y., *see* LAVI, N., 307

OWREIT, M. F., *see* SHABAN, I. S., 245

PALÁGYI, S., BRAUN, T.: Unloaded polyether type polyurethane foams as solid extractants for trace elements, 69

PAUNESCU, N., GALERIU, D., MARGINEANU, R., IORGULESCU, A.: Environmental radioactivity in Romania Danube river area during 1986–1990, 289

PREISS, I. L., *see* TARIQ, M. A., 355

RAJEC, P., *see* HROMADOVÁ, M., 99

RAMAMOHAN, T. R., *see* SANTHI, B. P., 335

REDDY, M. L. P., *see* SANTHI, B. P., 335

REIJENGA, J. C.: Capillary electrophoresis. An overview, 155

ROSNER, G., HÖTZL, H., WINKLER, R.: Determination of ^{241}Pu by low level β–proportional counting. Application to Chernobyl fallout samples and comparison with the ^{241}Am build-up method, 225

SAGAWA, Ch., see SATO, T., 235

SAHOO, M. K., KURUC, J., ŠVEC, A., ČECH, R., HUTTA, M.: HPLC profiling of radiolytic products of nitrobenzene – carbon tetrachloride – water two-phase systems, 107

SAHOTA, G. P. S., see SINGH, H., 385

SAHOTA, H. S., see SINGH, H., 385

SANTHI, B. P., REDDY, M. L. P., RAMAMOHAN, T. R., DAMODARAN, A. D.: Synergistic solvent extraction of lutetium(III). Computer aided analysis, 335

SATO, T., HIRABAYASHI, T., SAGWA, Ch., KOHNO, N., GUNJI, K., ADACHI, T.: Sorption behavior and inventory of alpha-emitters on the surfaces of spent nuclear fuel cladding, 235

SCHRÖTTEROVÁ, D., NEKOVÁŘ, P., MRNKA, M., BOUŠA, M.: Application of amine extraction to the production of pure zirconium salts, 29

SCHUGERL, K., see MIESIAC, I., 181

SEKINE, T.: Solvent extraction of ionic solutes in aqueous solutions, 11

SHABAN, I. S., OWREIT, M. F., NIKITENKO, S. I.: Kinetics and mechanism of photoaccelerated isotope exchange between U(VI) and U(IV) in oxalate solutions, 245

SHAIKH, A. N., KHANDEKAR, R. N., ANAND, S. J. S., MISHRA, U. C.: Determination of some toxic trace elements in Indian tobacco and its smoke, 349

SINGH, H., BINARH, H. S., SAHOTA, G. P. S., SAHOTA, H. S.: Perturbed angular correlation study using ^{147}Nd as a probe, 385

AUTHOR INDEX

ŠIMUNIČOVÁ, E., *see* HUTTA, M., 87

ŠIŠKOVÁ, A., *see* HUTTA, M., 87

ŠKRTIĆ, D., *see* FILIPOVIĆ-VINCEKOVIĆ, N., 205

SPIRIDON, S., *see* STANESCU, S. P., 301

STANESCU, S. P., SPIRIDON, S.: An improved method for analysis of In-EDTA, I^- and Br^- used as activable tracers in hydrological studies, 301

STRNAD, J., HECKMANN, K.: Separation of actinides with alkylpiridinium salts, 47

ŠVEC, A., *see* SAHOO, M. K., 107

SZYMANOWSKI, J., *see* MIESIAC, I., 181

TARIQ, M. A., PREISS, I. L.: Determination of selenium in animal tissue samples using radioisotope induced X-ray fluorescence, 355

TRUFFER, S., *see* CHAPPUIS, P. P., 255

TSAI, CHAO-MING, *see* LIU, WEN-CHUNG, 373

VAŇURA, P., JEDINÁKOVÁ, V., JUKLÍKOVÁ, I.: Extraction of some lanthanides by nitrobenzene solutions of dicarbolide in the presence of 18-crown-6, 81

WINKLER, R., *see* ROSNER, G., 225

ZELENSKÁ, V., *see* HUTTA, M., 87